Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	20	("709"/\$.ccls. "707"/\$.ccls.) and (browser with (hang hung freez\$5 froz\$5))	US-PGPUB; USPAT	OR	ON	2005/07/13 10:28
S1	2	"379"/\$.ccls. and ((emergency "911") with (browser web internet isp) with (disconect\$5 interrupt\$5 overrid\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 10:41
S2	9	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (discconect\$5 interrupt\$5 overrid\$5 overrul\$5))	US-PGPUB; USPAT	OR .	ON	2004/05/20 10:47
S3	0	("379"/\$.ccls. "455"/\$.ccls.) and (((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (discconect\$5 interrupt\$5 overrid\$5 overrul\$5)) same ((telephone phone unit endpoint terminal) with (power\$5 (turn\$5 near4 (off on)) reset\$5)))	US-PGPUB; USPAT	OR	ON	2004/05/20 10:46
S4	0	("379"/\$.ccls. "455"/\$.ccls.) and (((lock\$3 hang\$5 block\$5 nonfunction\$5 (non adj3 function\$5) crash\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5)) same ((telephone phone unit endpoint terminal) with (power\$5 (turn\$5 near4 (off on)) reset\$5)))	US-PGPUB; USPAT	OR	ON	2004/05/20 10:47
S5	22	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:06
S6	13	(("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))) not (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 block\$5) with (browser web internet isp) with (disconect\$5 interrupt\$5 overrid\$5 overrul\$5)))	US-PGPUB; USPAT	OR	ON	2004/05/20 10:47
S7	4	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:18
S8	4	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5 overrul\$5 supersed\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:10

S9	129	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung stop\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:10
S10	49	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:12
S11	58	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:17
S12	9	(("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:12
S13	65	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:15
S14	7	(("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5)) inopera\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5))) not (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5)))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:15

S15	190	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5	US-PGPUB; USPAT	OR	ON	2004/05/20 11:24
		overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5))				

					,	· · · · · · · · · · · · · · · · · · ·	,
S16	129	(("379"/\$.ccls. "455"/\$.ccls.) and	US-PGPUB;	OR	ON	2004/05/20 11:19	
		((lock\$3 hang\$5 hung (stop\$5 near3	USPAT	''		,,	
		(operat\$5 work\$5))) with (browser					
		web internet isp application program)					
		with (disconnect\$5 interrupt\$5					
		overrid\$5 overrul\$5 supersed\$5 end\$5					
-		stop\$5))) not ((("379"/\$.ccls. "455"/\$.					
		ccls.) and ((lock\$3 hang\$5 block\$5)					
		with (browser web internet isp) with					
		(disconnect\$5 interrupt\$5 overrid\$5				,	
		overrul\$5))) ((("379"/\$.ccls. "455"/\$.					
		ccls.) and ((lock\$3 hang\$5 block\$5)					
		with (browser web internet isp) with					
		(disconnect\$5 interrupt\$5 overrid\$5					
		overrul\$5))) not (("379"/\$.ccls.					
		"455"/\$.ccls.) and ((lock\$3 hang\$5					
		block\$5) with (browser web internet					
}		isp) with (disconect\$5 interrupt\$5	•				
		overrid\$5 overrul\$5)))) (("379"/\$.ccls.					
		"455"/\$.ccls.) and ((lock\$3 hang\$5					
		hung) with (browser web internet isp) with (disconnect\$5 interrupt\$5					
1		overrid\$5 overrul\$5))) (("379"/\$.ccls.					
		"455"/\$.ccls.) and ((lock\$3 hang\$5					
		hung) with (browser web internet isp)					
		with (disconnect\$5 interrupt\$5					
		overrid\$5 overrul\$5 supersed\$5)))					
		(("379"/\$.ccls. "455"/\$.ccls.) and					
		((lock\$3 hang\$5 hung stop\$5) with					
		(browser web internet isp application					
		program) with (disconnect\$5					
		interrupt\$5 overrid\$5 overrul\$5					
		supersed\$5))) (("379"/\$.ccls. "455"/\$.			İ		
		ccls.) and ((lock\$3 hang\$5 hung) with		ļ			
		(browser web internet isp application					
		program) with (disconnect\$5					
		interrupt\$5 overrid\$5 overrul\$5					
		supersed\$5))) (("379"/\$.ccls. "455"/\$.					
		ccls.) and ((lock\$3 hang\$5 hung					
		(stop\$5 near3 (operat\$5 work\$5)))					
		with (browser web internet isp					
		application program) with					
		(disconnect\$5 interrupt\$5 overrid\$5		•			
		overrul\$5 supersed\$5))) ((("379"/\$.					
		ccls. "455"/\$.ccls.) and ((lock\$3					
		hang\$5 hung (stop\$5 near3 (operat\$5					
		work\$5))) with (browser web internet					
		isp application program) with					
1		(disconnect\$5 interrupt\$5 overrid\$5					
		overrul\$5 supersed\$5))) not (("379"/\$.					
		ccls. "455"/\$.ccls.) and ((lock\$3					
		hang\$5 hung) with (browser web					
		internet isp application program) with					
		(disconnect\$5 interrupt\$5 overrid\$5					
1		overrul\$5 supersed\$5)))) (("379"/\$.					
		ccls. "455"/\$.ccls.) and ((lock\$3					
}		hang\$5 hung (stop\$5 near3 (operat\$5					
Const. !	liotor: 7/40	work\$5)) inopera\$5) with (browser			<u> </u>		
C-/Docu	ments and So	web internet ispabblication program)	2000\00074930	Torminal			
C. IDOCU	ments and set	Osephine new ispagnolication program) tings Harden ispagnolication program) tings Harden ispagnolication program) overrid\$5 overrul\$5 supersed\$5)))	aces\U99/483b	Li entimai ne	work unit	and computer program	product
l	ı l	overrid\$5 overrul\$5 supersed\$5)))		l .	1		

S17	191	("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5 abort\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:25
S18		(("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5 abort\$5))) not (("379"/\$.ccls. "455"/\$.ccls.) and ((lock\$3 hang\$5 hung (stop\$5 near3 (operat\$5 work\$5))) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5)))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:25
S19	263	("379"/\$.ccls. "455"/\$.ccls.) and ((browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5 abort\$5) with (((turn\$5 power\$5) near3 (on off)) reset\$5))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:27
S20	81	("379"/\$.ccls. "455"/\$.ccls.) and ((browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5 abort\$5) with (((turn\$5 power\$5) near3 (on off)) reset\$5) with (telephone unit device apparatus cell mobile wireless endpoint terminal))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:34
S21	8	("379"/\$.ccls. "455"/\$.ccls.) and ((hang\$5 hung\$5 stuck loop\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5 abort\$5) with (((turn\$5 power\$5) near3 (on off)) reset\$5) with (telephone unit device apparatus cell mobile wireless endpoint terminal))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:36
S22	2862	("379"/\$.ccls. "455"/\$.ccls.) and ((hang\$5 hung\$5 stuck loop\$5) with (browser web internet isp application program))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:35

				Υ	1	
S23	86	("379"/\$.ccls. "455"/\$.ccls.) and ((hang\$5 hung\$5 stuck loop\$5) with (browser web internet isp application program) with (disconnect\$5 interrupt\$5 overrid\$5 overrul\$5 supersed\$5 end\$5 stop\$5 abort\$5) with(telephone unit device apparatus cell mobile wireless endpoint terminal))	US-PGPUB; USPAT	OR	ON	2004/05/20 11:36
S24	4	"46697".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/05/20 11:49
S25	2	"60124021".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/05/20 11:49
S26	0	"60124021".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/05/20 11:50
S27	29	shonfeld.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/05/27 10:25
S28	135	swallow.in.	US-PGPUB; USPAT	OR	ON	2004/05/27 08:50
S29	63	reset\$5 near3 browser	US-PGPUB; USPAT	OR	ON	2004/05/27 08:50
S30	0	(reset\$5 near3 browser) with (fail\$5 error\$5 lock\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/05/27 10:26
S31	10	(reset\$5 near3 browser) same (fail\$5 error\$5 lock\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/05/27 10:26
S32	1	(detector (detect\$5 near3 (device part unit element))) with browser with ((hung hang ((non "not") adj3 respons\$6)))	US-PGPUB; USPAT	OR	ON	2005/07/12 13:55
S33	52	(browser with (hung hang ((non "not" stop\$5 "no longer") adj3 respons\$6)))	US-PGPUB; USPAT	OR	ON	2005/07/12 14:02
S34	1	(browser with (hung hang ((non "not" stop\$5 "no longer") adj3 respons\$6))) with (over\$8)	US-PGPUB; USPAT	OR	ON	2005/07/12 14:03
S35	12761	((hung hang ((non "not" stop\$5 "no longer") adj3 respons\$6))) with (over\$8)	US-PGPUB; USPAT	OR	ON	2005/07/12 14:03

S36	231	((browser program application) with (hung hang ((non "not" stop\$5 "no longer") adj3 respons\$6))) with (over\$8)	US-PGPUB; USPAT	OR	ON	2005/07/12 14:03
S37	2	((browser program application) with hung hang ((non "not" stop\$5 "no longer") adj3 respons\$6))) with (overrid\$8)	US-PGPUB; USPAT	OR	ON	2005/07/12 14:05
S38	8	((browser program application) with (hung hang ((non "not" stop\$5 "no longer") adj3 respons\$6))) with (overrid\$8 superced\$5 (tak\$5 near4 over))	US-PGPUB; USPAT	OR	ON	2005/07/12 14:06
S39	131	((browser program application) with (hung hang ((non "not" stop\$5 "no longer") adj3 respons\$6))) with (reset\$5 restart\$)	US-PGPUB; USPAT	OR	ON	2005/07/12 14:07
S40	0	((browser) with (hung hang ((non "not" stop\$5 "no longer") adj3 respons\$6))) with (reset\$5 restart\$)	US-PGPUB; USPAT	OR	ON	2005/07/12 14:07